

FIG. 1




FIG. 2

2/5

in[i²i¹](OUT-COSET)

[0 0](0)	[0 1](2)	[1 0](4)	[1 1](6)
[0 0](1)	[0 1](3)	[1 0](5)	[1 1](7)
[0 0](0)	[0 1](2)	[1 0](4)	[1 1](6)
[0 0](1)	[0 1](3)	[1 0](5)	[1 1](7)
[0 0](0)	[0 1](2)	[1 0](4)	[1 1](6)
[0 0](1)	[0 1](3)	[1 0](5)	[1 1](7)
[0 0](0)	[0 1](2)	[1 0](4)	[1 1](6)
[0 0](1)	[0 1](3)	[1 0](5)	[1 1](7)

S²S¹S⁰

FIG. 3

0 0 0	0 0 0
0 0 1	0 0 1
0 1 0	0 1 0
0 1 1	0 1 1
1 0 0	1 0 0
1 0 1	1 0 1
1 1 0	1 1 0
1 1 1	1 1 1




FIG. 10

[0 0](0)	[0 1](2)	[1 0](4)	[1 1](6)
[0 0](1)	[0 1](3)	[1 0](5)	[1 1](7)
[0 0](0)	[0 1](2)	[1 0](4)	[1 1](6)
[0 0](1)	[0 1](3)	[1 0](5)	[1 1](7)
[0 0](0)	[0 1](2)	[1 0](4)	[1 1](6)
[0 0](1)	[0 1](3)	[1 0](5)	[1 1](7)
[0 0](0)	[0 1](2)	[1 0](4)	[1 1](6)
[0 0](1)	[0 1](3)	[1 0](5)	[1 1](7)


S²S¹S⁰

FIG. 11

0 0 0	0 0 0
0 0 1	0 0 1
0 1 0	0 1 0
0 1 1	0 1 1
1 0 0	1 0 0
1 0 1	1 0 1
1 1 0	1 1 0
1 1 1	1 1 1

FIG. 4

—	TCM + SIMPLE SLICER
- - -	TCM + VA
- - -	TCM + SMVA
- - -	TCM + RCVA

**FIG. 5**

—	TCM + SIMPLE SLICER
- - -	TCM + VA
- - -	TCM + SMVA
- - -	TCM + RCVA
- - -	UNCODED SYSTEM




FIG. 6





FIG. 7



5/5

FIG. 8




FIG. 9

